



DALVIVO™
power cable

■ SPECIFICATIONS

- 7 × AWG 14 (2.08 mm²) conductors in helical array, individually screened plus 3 × overall shields
- diameter 16 mm
- bending radius 16 cm
- resistivity 0.0049 ohm/m (P and N)
- capacitance 105 pF/m (1 kHz)
- inductance 0.0005 mH/m (1 kHz)

THE ENSEMBLE SYNERGIA™ POWER CONNECTORS:

■ OPTIMIZED CONDUCTIVITY

- contacts made of highest purity grade copper
- conductivity > 102% IACS
- heavy silver-plating, gold-plating (double of standard)
- connector head made of TPE: extremely low dielectric dissipation factor

■ INTERFERENCE CONTROL

- metal body provides excellent HF interference shielding

■ RESONANCE CONTROL

- metal clamps provide a tight, non-resonant hold on the cable
- end piece made of brass, providing unique resonance control

■ ANTISTATIC

- no build-up of static charge on metal body

■ LONG TERM QUALITY

- durable, anodized aluminium body shell
- impact resistant, scratch resistant, flame-retardant head
- copper-plated, gold-plated screws
- rubber seal to keep inside dustfree

■ WIDE USABILITY

- accommodation of cables from 7 mm to 19 mm in diameter

■ MATERIAL AND ELECTRICAL QUALITIES

- very high purity copper for reliable, long term results
- excellent electrical values for wide equipment compatibility
- optimal balance between electrical parameters – for natural sound
- very low dielectric dissipation for fast signal transmission
- screening on all levels – for effective protection from interference
- topology of shields and conductors optimized
- mechanical damping – for excellent anti-resonance behaviour
- flexibility and mechanical integrity, UV and microbe stability
- environment-friendly materials: no PVC, no halogenous materials
- maximum continuous voltage 300V, spark tested to 1500V

■ SOUND QUALITY

- sound coming from a very deep, silent, black background
- immaculate transparency; perfectly balanced, live-like, natural sound
- luminous, rich timbres; lively, vivid colours in all shades
- ‚life-like‘- dimensionality; realistic 3D rendition
- veracity of atmosphere: air, micro information, reverberation
- razor-sharp transients: onset, rise, and decay
- widest possible dynamics: sub-micro to large scale
- engaging rhythm and pace
- natural, lively musical ebb and flow

SWISS PRECISION FOR THE BEST SOUND

Drawing on new insights, the DALVIVO cable and the matching INCANTO interconnect lead to a sonic result that has to be heard to be believed. Given the widely acclaimed sound qualities of our LUMINOSO and ESPRESSIVO cables, one would not anticipate that tonal colors can still be more luminous, vivid and 3D, that the projection of space can still be more precisely layered, and the background from which the music rises to be deeper and darker still, extending the dynamic range thereby even further. It all results in an enhanced 'live' sensation, a veracity and atmosphere one can touch. Listening becomes an exhilarating experience.

Made of first class materials and terminated with Ensemble SYNERGIA™ connectors that perfectly match the quality, these cables reflect the typical synergistic approach behind Ensemble designs.

The uniqueness of these cables and their Swiss precision-made quality is shown by a warranty seal.

DALVIVO™
power cable

ENSEMBLE AG INC

PO BOX 245
4147 AESCH
SWITZERLAND

TEL +41 61 461 9191

www.ensembleexperience.com
mail@ensembleaudio.com