



DALVIVO™
speaker cable

■ SPECIFICATIONS

- 7 x AWG 14 (2.08 mm²) conductors in helical array, individually screened plus 3 x overall shields
- diameter 16 mm
- bending radius 16 cm
- resistivity
0.0032 ohm/m (L or R)
- capacitance
105 pF/m (1 kHz)
- inductance
0.0005 mH/m (1 kHz)

■ CONNECTORS

■ SPADES

- fork width: 6mm, or 8mm
- electrolytic copper
- thick silver plating, gold plating
(three times the standard plating)
- Ensemble **BANANAS PERFETTO™**
tellurium copper
- thick silver plating, gold plating
(three times the standard plating)
- spring loaded lamellae: beryllium copper
- 4 mm (multiple spring loaded lamellae)
- 6 mm (1 spring loaded lamella)
- Adapter 4 mm to 6 mm
- Adapter 6 mm to 4 mm

■ MATERIAL AND ELECTRICAL QUALITIES

- very high purity copper for reliable, long term results
- excellent electrical values for wide equipment compatibility
- optimal balance between electrical parameters – for natural sound
- very low dielectric dissipation for fast signal transmission
- screening on all levels – for effective protection from interference
- topology of shields and conductors optimized
- mechanical damping – for excellent anti-resonance behaviour
- flexibility and mechanical integrity, UV and microbe stability
- environment-friendly materials: no PVC, no halogenous materials
- maximum continuous voltage 300 V, spark tested to 1500 V

■ SOUND QUALITY

- sound coming from a very deep, dark silent background
- immaculate transparency; perfectly balanced, live-like, natural sound
- luminous, rich timbres; lively, vivid colours in all shades
- 'life-like'- dimensionality; realistic 3D rendition
- veracity of atmosphere: air, micro information, reverberation
- razor-sharp transients: onset, rise, and decay
- widest possible dynamics: sub-micro to large scale
- engaging rhythm and pace
- natural, lively musical ebb and flow

SWISS PRECISION FOR THE BEST SOUND

Drawing on new insights, the DALVIVO and matching INCANTO interconnect cable lead to a sonic result that has to be heard to be believed. Given the widely acclaimed sound qualities of our LUMINOSO and ESPRESSIVO cables, one would not anticipate that tonal colors can still be more luminous, vivid, that the projection of space can still be more precisely layered 3D, and the background from which the music rises to be deeper and darker still, extending the dynamic range thereby even further. It all results in an enhanced 'live' sensation, a veracity and atmosphere one can touch. Listening becomes an exhilarating experience.

Made of first class materials and terminated with Ensemble designed connectors that perfectly match the quality, these cables reflect the typical synergistic approach behind Ensemble designs.

The uniqueness of these cables and their Swiss precision-made quality is shown by a warranty seal.

DALVIVO™
speaker cable

ENSEMBLE AG INC

PO BOX 245
4147 AESCH
SWITZERLAND

TEL +41 61 461 9191

www.ensembleexperience.com
mail@ensembleaudio.com