



ESPRESSIVO™
interconnect (RCA/XLR)

■ SPECIFICATIONS

- 5 × 0.34 mm² (≈ AWG 22) conductors in helical array, individually screened plus 2 × overall shields
- diameter 8.2 mm
- bending radius 6 cm
- resistivity (hot conductor) 0.016 ohm/m
- capacitance (conductor/conductor) 90 pF/m (1 kHz)

■ ALLINO™ RCA PLUG

- 'all-in-one' Ensemble design (modèle déposé)
- 3 times higher conductivity than common brass models
- nickel-free, high quality gold-plating of copper alloy chassis and pin
- nanotech surface treatment for enhanced conductivity
- shielding barrel with clamping action
- ground before signal contact (guaranteed with Ensemble jacks)

■ XLR SCUDO™

- Copper-tellurium contacts (conductivity 3 to 4 times higher than that of brass or phosphor bronze)
- female contacts with copper-beryllium cage springs for lowest contact resistance
- contact finish: copper plating, thick silver plating, gold plating (thickness 6 times greater than that of flash gold) – nickel-free
- Teflon® contact insulation for minimal dielectric loss
- metal casing for excellent shielding against RF interference
- Silicone rubber insert ensures a tight grip on the cable, dampens resonances and provides an IP68 quality sealing
- no build-up of static charge on the body

■ MATERIAL AND ELECTRICAL QUALITIES

- very high purity copper for reliable results, also long term
- optimal balance between electrical parameters
- very low dielectric dissipation for fast signal transmission
- screening on all levels for effective protection from interference
- mechanical damping for excellent anti-resonance behaviour
- flexibility and mechanical integrity, UV and microbe stability
- environment-friendly materials: no PVC, no halogenous materials
- spark test 1500V
- good-looking, good haptic feel

■ SOUND QUALITY

- sound coming from a deep, silent background
- perfectly balanced, live-like, natural sound
- full harmonics, rich timbres, lively colours in all shades
- 'be there' – dimensionality: real size 3D
- tangible atmosphere: air, micro information, reverberation
- razor-sharp transients: attack, rise and decay
- wide dynamics: micro to large scale
- engaging rhythm and pace
- natural musical ebb and flow

SWISS PRECISION FOR THE BEST SOUND

Based on cable design experience of more than a quarter century the LUMINOSO and ESPRESSIVO cables provide a sophisticated balance of material and electrical qualities – making them a first choice in a wide field of competing and much more expensive products.

They are no-nonsense, real world designs, based on first class materials, with terminations that perfectly match the overall quality and reflect the typical synergistic approach behind Ensemble designs.

The uniqueness of these cables and their Swiss precision made quality is shown by a warranty seal.

The LUMINOSO and ESPRESSIVO cables represent difficult-to-beat value for the superb sound quality they offer.

ESPRESSIVO™
interconnect (RCA/XLR)

ENSEMBLE AG INC

PO BOX 245
4147 AESCH
SWITZERLAND

TEL +41 61 461 9191
FAX +41 61 461 9325

www.ensembleexperience.com
mail@ensembleaudio.com